


FIG. 1



20220-8766001

FIG. 2(a)





FIG. 2(b)



202208258001 10083578-022702

FIG. 3(a)




FIG. 3(b)




FIG. 3(c)




FIG. 4(a)




FIG. 4(b)





FIG. 4(c)



202220-82528001

FIG. 5(a)




FIG. 5(b)





FIG. 5(c)



20220326001

FIG. 6(a)




FIG. 6(b)




FIG. 6(c)




FIG. 7(a)




FIG. 7(b)




FIG. 7(c)





Figure 1 displays a series of plots showing wavefronts in the Y-direction and X-direction for various angles. The plots are arranged in a 6x2 grid. The rows correspond to the following angles: (0.00°, 20.3°), (26.3°, 20.3°), (26.3°, 0.00°), (26.3°, -20.3°), (0.00°, -20.3°), and (0.00°, 0.00°). The columns are labeled (Y-direction) and (X-direction). The vertical axis for all plots ranges from -0.0500 to 0.0500. The wavefronts are represented by solid and dashed lines. In the Y-direction plots, the wavefronts are labeled d-line, C-line, e-line, F-line, and g-line. The X-direction plots show wavefronts for the same lines. The wavefronts are generally curved, with the curvature increasing as the angle increases.




FIG. 9




207220 87558001

FIG. 10




2022082202

FIG. 11



10083578-022702

FIG. 12



10083578-022702



FIG. 14






FIG. 15



10083578-022702

FIG. 16



10083578.022702

FIG. 17(b)




FIG. 17(c)





FIG. 17(a)



10083578-000700



FIG. 18(b)      FIG. 18(a)      FIG. 18(c)







FIG. 18(d)

FIG. 18(e)



10083578.022702

FIG. 19



10083578.022702